

Scout Report sent out
 Noted in the NID File
 Location map pinned
 Approval or Disapproval Letter
 Date Completed, P. & A, or
 operations suspended
 Pin changed on location map
 Affidavit and Record of A & P
 Water Shut-Off Test
 Gas-Oil Ratio Test
 Well Log Filled

☒
☒
☒
☒
☐
☐
☐
☐
☐
☒

4-12-59 UOR

Converted to water injection well, July, 1962

FILE NOTATIONS

Entered in NID File _____
 Sheet _____
 Map Pinned _____

 State or Fee Land _____

Checked by Chief _____
 Copy NID to Field Office _____
 Approval Letter _____
 Disapproval Letter _____

*Started injecting
 as of August, 1962*

COMPLETION DATA:

Date Well Completed 4/12/59 Location Inspected _____
 CW ☒ WW _____ TA _____ Bond released _____
 GW _____ OS _____ PA _____ State of Fee Land _____

LOGS FILED

Log 4/30/59
 Logs (No.) 1

E _____ I _____ E-I _____ GR _____ GR-N _____ Micro _____
 Lat. _____ Mi-L _____ Sonic _____ Others _____

Radioactivity log

(SUBMIT IN TRIPLICATE)

Indian Agency **NAVAJO**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee

Lease No. **14-20-601-2040**
Cenozo No. **81247**

	28	
	1	

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	1	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Well No. **7** is located **660** ft. from **XXI** line and **1980** ft. from **[E]** line of sec. **28**
SE 1/4 Sec. 28 **T40S** **R25E** **S. 1. N. M.**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Section)
Cahone Mesa **San Juan County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4951** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill this well with rotary tools to an estimated depth of 5950' to test the Paradox formation. Approximately 200' of 8 5/8" surface casing will be run and cemented and, if commercial production is found, a string of 5 1/2" production casing will be run and cemented and the well completed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**

Address **P. O. Box 3312**
Durango, Colorado


ORIGINAL SIGNED BY:
BURTON HALL

By

Title **District Superintendent**

WAB-ec
USGS(4), UTAH OROCC(2), LWH, JHH

CERTIFICATE OF SURVEY



WELL LOCATION: Continental Oil Co. - Cahone Mesa - Navajo No. 7


Located 1980 feet West of the East line and 660 feet North of the South line of Section 28,
 Township 40 South, Range 25 East, Salt Lake Meridian.
 San Juan County, Utah
 Existing ground elevation determined at 4938 feet based on adjoining well locations.

I certify the above plat represents a survey
 made under my supervision and is accurate to the
 best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of Utah (No. 2307)

E.M. CLARK & ASSOCIATES
 Durango, Colorado
 February 26, 1959



March 12, 1959

Continental Oil Company
P. O. Box 3312
Durango, Colorado

Attention: Burton Hall, District Superintendent

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo 7, which is to be located 660 feet from the south line and 1980 feet from the east line of Section 28, Township 40 South, Range 25 East, SLBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FREIGHT
EXECUTIVE SECRETARY

CBF:co

cc: Phil McGrath, Dist. Eng.
USGS, Farmington,
New Mexico

U. S. LAND OFFICE -----
 SERIAL NUMBER -----
 LEASE OR PERMIT TO PROSPECT -----

A 10x10 grid with the number 28 in the center and the letter X in the bottom right corner.

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOCATE WELL CORRECTLY

Company Continental Oil Company Address Box 3312, Durango, Colorado
Lessor or Tract Navajo Field Cahone Mesa State Utah
Well No. 7 Sec. 28 T. 40 S. R. 25 E Meridian SLBM County San Juan
Location 460 ft. { N. } of S Line and 1980 ft. { E. } of E Line of Sec. 28 Elevation 4951
(Derrick floor relative to corner of well)

Signed _____

Title ~~District Superintendent~~

Commenced drilling March 17, 1959 Finished drilling April 12, 1959

(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	
13 3/8	48	8rd	H-40	149	Weatherford				Surface
5 1/2	15.5	8rd	J-55	400	Baker		5810	5818	Production
5 1/2	14	8rd	J-55	5471			5822	5828	
							5834	5865	
							5870	5882	

MUDDING AND CEMENTING RECORD

	Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
MARK	13 3/8	159' RB	200 reg.	Displacement		
	5 1/2	5900' RB	325 reg.	Displacement		
			75 strata-crete			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

13 3/8 159' RB 200 reg. Displacement
 5 1/2 5900' RB 325 reg. Displacement
 75 strata-crete

FOLD

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____

Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

_____, 19____ Put to producing _____, 19____

The production for the first 24 hours was _____ barrels of which _____% was oil; _____%

Based on flowing test.

Gravity, °Bé. _____

xxxxxxx

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller Contractor: Arapahoe Drilling Co. _____, Driller

_____, Driller _____, Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
2540	2698	158	Shinarump
2698	2966	268	Cutler
2966	4765	1799	Organ Rock
4765	5584	819	Hermosa
5584	5798	214	Paradox
5798	5900	102	Aneth

1950 1951

10-43094-2

DATE	NAME OF WELL	LOCATION OF WELL	DEPT. OF THE INTERIOR	U. S. GOVERNMENT PRINTING OFFICE
HISTORY OF OIL OR GAS WELL				

HISTORY OF OIL OR GAS WELL

10-43094-2 U. S. GOVERNMENT PRINTING OFFICE

It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrilling, together with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if any casing was "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, and number of shots. If plugs or bridges were put in to test for water, state kind of material used, position, and results of pumping or bailing.

Spudded 3-17-59, drilled with rotary tools to 5900' TD. Gored 5716'-5775' and 5813'-5900'. DST's 5710'-5740', 5740'-5775' and 5815'-5900'. Set and cemented surface and production casing as follows: 4 jts. 13 3/8" at 159' with 200 sacks regular and 189 jts. 5 1/2" at 5900' with 75 sacks regular mixed with 75 cu. ft. strata-crete and 250 sacks regular, following 500 gals. MCA 7 1/2%, PD 5888'. Perforated 5810-18', 5822-28', 5834-55' and 5870-82' with 4 jets per foot. Ran 2 7/8" tubing with packer at 5740', treated at 5720', swabbed and released rotary rig 4-12-59. IFP 984 BOPD on 1" choke, gravity 42.5 at 600, cut .9% BS&W, GO R 490/1, TP 100#. Allowable 348 BOPD.

LOG OF OIL OR GAS WELLS


DATE	NAME OF WELL	LOCATION OF WELL	DEPT. OF THE INTERIOR	U. S. GOVERNMENT PRINTING OFFICE
LOG OF OIL OR GAS WELLS				

LOG OF OIL OR GAS WELL

DATE	NAME OF WELL	LOCATION OF WELL	DEPT. OF THE INTERIOR	U. S. GOVERNMENT PRINTING OFFICE
LOG OF OIL OR GAS WELLS				

GEOLOGICAL SUMMARY
DEPARTMENT OF THE INTERIOR
UNITED STATES

DATE OF REPORT TO BUREAU
DATE OF FIELD WORK
U. S. GEOLOGICAL SURVEY



(SUBMIT IN TRIPLICATE)

Indian Agency **NAVAJO**UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYAllottee _____
Lease No. **14-20-603-2048**

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 28, 1959

Cahone Navajo
Well No. **7** is located **660** ft. from **XXXX** line and **1980** ft. from **[E]** line of sec. **28**
SE 1/4, Sec. 28 **T40S** **R25E** **S10N**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Cahone Mesa **San Juan County** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is **4951** ft.


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 3-17-59, drilled with rotary tools to 5900' TD, 5888' PD. Ran and cemented casing as follows: 4 jts., 13 3/8" surface at 159' with 200 sacks regular and 189 jts. 5 1/2" production at 5900' with 125 sacks regular plus 75 sacks strata-crete. Perforated 5810-18', 5822-28', 5834-69' and 5870-82' with 4 jets per foot. Ran tubing with packer at 5740', treated with 1500 gals. MCA and swabbed. Reset packer at 5720' with 196 jts. 2 7/8" tubing, swabbed and flowed well and released rotary rig 4-12-59, IFP 964 BOPD on 1" choke, gravity 42.5 at 60°, cut .9% BSAW.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Continental Oil Company**Address **Box 3312****Durango, Colorado**By **ORIGINAL SIGNED BY:
BURTON HALL**Title **District Superintendent**WAB-cc
USGS(3), UTAH OROCC(2), LWH, JBN



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Budget Bureau No. 49-R359.4.
Approval expires 12-31-60.

Indian Agency _____

Window No. _____

Allottee Nava Jo

Lease No. 14-20-603-2048

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	X
NOTICE OF INTENTION TO ABANDON WELL	Supplementary Report of Conversion to Injection Well	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Conoco Nav. 7 July 24, 19 62
McKline Creek Unit
Well No. T-08 is located 660 ft. from N line and 1980 ft. from E line of sec. 28
SW SE Section 28 40E 25E S104M
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Greater Aneth San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of ~~surface~~ above sea level is 4960 ft. N.B.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7-12-62: Set Baker Packer on 2-1/2" cement lined tubing @ 5772'.
Filled annulus with crude.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE SUPERIOR OIL COMPANY

Address P. O. DRAWER 'G'

CORTIZ, COLORADO

Original Signed By

By D. D. KINGMAN

D. D. Kingman

Title Production Engineer

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIE
(Other instruction
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER Water Injection Well		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-2048	
2. NAME OF OPERATOR The Superior Oil Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo	
3. ADDRESS OF OPERATOR P. O. Drawer 'G', Cortez, Colorado 81321		7. UNIT AGREEMENT NAME McElmo Creek Unit	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL & 1980' FEL, Sec. 28, T40S, R25E		8. FARM OR LEASE NAME McElmo Creek Unit	
14. PERMIT NO.		9. WELL NO. MCU #T-08	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 4960' KB		10. FIELD AND POOL, OR WILDCAT McElmo Creek Field	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SW/4 SE/4 Sec. 28, T40S, R25E	
		12. COUNTY OR PARISH San Juan	13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input checked="" type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	(Other) <input type="checkbox"/>

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10/10/69 Tested and found casing leaks 933-1476'. Squeezed with 400 sacks Class 'C' Cmt.

10/11/69 Drilled out to 1166'.

10/13/69 Found casing leak at 1024'. Squeeze with 86 sacks Class 'C' Cement.

10/15/69 Drilled out to 1298'.
Circulated hole clean to 5884'. Reran 2-7/8" cement lined Hydril tubing.

10/17/69 Returned to injection.

18. I hereby certify that the foregoing is true and correct

SIGNED D. D. Kingman TITLE District Engineer DATE 11/28/69
D. D. Kingman
(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

OGC/njh

*See Instructions on Reverse Side

cc: State, USGS. Franques, Broussard, File, WIO, Perry K. Hurlburt

THE SUPERIOR OIL COMPANY - 36.55075%
SEE OTHERS ON BACK

MC ELMO CREEK UNIT #T-08

WATER INJECTION WELL

660' FSL, 1980' FEL
SW SE Sec 28, T40S, R25E
San Juan County, UTAH

FIELD: MC ELMO CREEK

KB: 4960' DF: 4959' GL: 4949' TD: 5900' PBTD: 5854' TLD: 9.00'

SPUDED: 3-17-59 COMPLETED: 4-13-59

INJECTION ZONE: Desert Creek Zones 1, 2

PERFS: 5810-18', 5822-28', 5834-65', 5870-82' (4 Jets/ft)

CASING: 13-3/8" 48# H-40 8R w/200 Sx 159'
5 1/2" 14 & 15.5# J-55 8R w/400 Sx. 5900'

TUBING: 2-7/8" 6.5# J-55 Hydril C.S. Cmt. Lined w/tail @ 5773'.

PACKERS: A Baker model N Permanent Prod. Pkr. is @ 5772'.

PMPG. EQUIP: Injection Equipment

REMARKS: Hole in casing between 894' & 1430' too small to squeeze. Tubing is not backed into the packer.

WELL HEAD: 6" Ser. 600 Rector Type 6M.

4-59 Treated 5810-82' w/1500 gal. MCA.

7-13-62 Converted to water injection:

10-15-69 Squeezed csg. leaks 933-1476'.

3-26-70 Acidized all perfs w/1000 gal. 15% iron retention acid. FP 2350#, 1 Min. SIP 0#.

8-17-77 Found hole in 40th tubing jt. Pressure tested casing and found leaks 894'-1430'. Squeezed and placed on injection. Still a small hole in this interval.

9-8-77 Treated all perfs w/2,000 gal. 15% F.E. Acid. FP 2300 psi, ISIP 1200 psi.

INITIAL WELL TEST

McELMO CREEK UNIT # T-08

DATE April 12, 1959

OIL BBL/DAY 984

OIL GRAVITY 42.1

GAS CU.FT/DAY -

GAS-OIL RATIO CU/FT/BBL 490


WATER BBL/DAY 9

PUMPING/FLOWING F

CHOKE SIZE 1"

FLOW TUBING PRESSURE 100 psig

10-10-69: Found casing leaks 933-1476.
Squeezed W/400 sks cmt. Drld out to 1166.
Leak at 1024, squeezed W/86 sks.cmt.
cleaned out to 5884'



McELMO CREEK UNIT
THE SUPERIOR OIL CO. OPERATOR
SW: SE SEC.28, T40 S, R25 E.
SAN JUAN COUNTY, UTAH.
ELEV.4961' K.B. TD.5900'

REV: 1-8-70

McElmo Creek Unit

ATTACHMENT I

RULE I-5: Application for Approval of Class II Injection Wells

(a) Well Data Sheets.

- (b) (1) Plat #1.
(2) Well Data Sheets.
(3) Well Data Sheets & Logs.
(4)

i. The average intervening thickness is 4000' between the existing injection interval and the deepest fresh water sand.

ii. Maximum Surface Pressure: 2800 psig.
Maximum Rate: 4000 BWPd.

<u>FORMATION</u>	<u>DEPTH</u>	<u>LITHOLOGY</u>
Chinle	1300' avg.	Shale
DeChelly	2350' avg.	Sandstone
Organ Rock	2600' avg.	Shale
Hermosa	4400' avg.	Limestone
Upper Ismay	5300' avg.	Limestone
Lower Ismay	5370' avg.	Limestone
Gothic	5450' avg.	Shale
Desert Creek	5460' avg.	Limestone
Chimney Rock	5550' avg.	Shale

(5)

(i) A throttling valve is installed on the wellhead to control injection rates and pressures.

(ii) The source of injection water is Superior's production wells within the McElmo Creek Unit. The wells produce from the Ismay and Desert Creek formations with approximate depths of 5300' and 5460' respectively.

(iii) The analysis of injection water is as follows: (as parts per million).

PH: 6.5	Ca: 13770 ppm	SO4: 25 ppm
CL: 16700 ppm	Mg: 11421 ppm	H2S: 30 ppm
Fe: 3 ppm	HCO3: 109.8 ppm	Na: -
CaCO3: 18470 ppm	CO3: -	Specific Gravity: 1.0553

McElmo Creek Unit

(3) Cont.

(iv) The injection zones are the Ismay and Desert Creek formations. Both zones are carbonate formations consisting of limestone, anhydrite and dolomite. The formations extend throughout the Paradox Basin and are underlain by the Chimney Rock Shale and are overlain by the Hermosa Limestone.

(v) Fresh water zones (Morrison, Bluff, Entrada) range from 0 to 1300' with Entrada being the deepest and somewhat saline.

(vi) The analysis of formation water (Desert Creek) is as follows: (as parts per million).

PH: 6.6	Ca: 17410 ppm	SO4: 33 ppm
CL: 34800 ppm	Mg: 11518 ppm	H2S: 10 ppm
Fe: 1.5 ppm	HCO3: 48.8 ppm	Ba: -
CaCO3: 22150 ppm	CO3: -	Specific Gravity: 1.0902

(6) To assure that injection is confined to intervals intended to receive the disposed water, wireline diagnostic surveys are run periodically to determine whether any escapement is taking place. If such information is discovered, the disposal well will be shut-in until proper measure can be taken. Casing pressure readings are made regularly to verify that no tubing or packer leaks have developed. If such leaks develop, the well will be shut-in until proper repairs can be made.

(7) N/A.


(8) The Division will be notified of the date and time to monitor the mechanical integrity test.

(9) N/A.

(10) N/A.

R24E

R25E

T
40
ST
41
S

LEGEND

- FUTURE LOCATION
- DRILLING WELL (STATUS)
- OIL WELL
- ▼ WATER INJECTION WELL
- ⊙ DUAL SERVICE, INJ/PROD

O/W CONTACT -960

0 2000' 4000'



McELMO CREEK UNIT

SUPERIOR WESTERN DIVISION

McELMO CREEK UNIT
SAN JUAN COUNTY, UTAH

SUPERIOR OIL - WESTERN DIVISION

BY TOP OF ROCKS

DESERT CREEK LIMESTONE, GY

DATE: 4-14-70 DRAWING NO. 2

BY:	SCALE:
DATE:	C.I.: 25ft
CHECKED:	DRAWN BY:

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Superior Well No. McElmo Creek Unit T 8
 County: San Juan T 40S R 25E Sec. 28 API# 43-37-16377
 New Well ☐ Conversion ☐ Disposal Well ☐ Enhanced Recovery Well ☒

	YES	NO
UIC Forms Completed	<u>✓</u>	<u> </u>
Plat including Surface Owners, Leaseholders, and wells of available record	<u>✓</u>	<u> </u>
Schematic Diagram	<u>✓</u>	<u> </u>
Fracture Information	<u> </u>	<u>✓</u>
Pressure and Rate Control	<u>✓</u>	<u> </u>
Adequate Geologic Information	<u>✓</u>	<u> </u>
Fluid Source	<u>Desert Creek - Sunny</u>	

Analysis of Injection Fluid	Yes <u>✓</u>	No <u> </u>	TDS <u>60,000 +</u>
Analysis of Water in Formation to be injected into	Yes <u>✓</u>	No <u> </u>	TDS <u>70,000</u>

Known USDW in area Mango-dunite Depth 1300

Number of wells in area of review 6 Prod. 6 P&A 0
 Water 0 Inj. 0

Aquifer Exemption Yes NA ✓

Mechanical Integrity Test Yes ✓ No

Date 4-25-84 Type Water Tracer Sunny

Comments: _____

Reviewed by: AP

WESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2)
 FOR THE CORTEZ SUPERVISOR AREA
 FOR THE GREATER ANETH FIELD 05/13/86

PROPERTY NAME	WELL NAME	COUNTY	STATE	SEC	TOWNSHIP	RNG	WELL TYPE	API NUMBER	FEDERAL LEASE NUMBER	STATE NUMBER	UNIT NUMBER
MC ELMO CREEK	R15	SAN JUAN	UT	NW	SW	04-41S-25E	INJ OP	43-037-05670	14-20-603-2057		96-004190
	R15-1	SAN JUAN	UT	NW	SW	04-41S-25E	INJ SI	43-037-05670	14-20-603-2057		96-004190
	S-10 ✓	SAN JUAN	UT	SE	NW	33-40S-25E	INJ OP	43-037-05757	14-20-603-2057		96-004190
	S-12 ✓	SAN JUAN	UT	SE	SW	33-40S-25E	INJ OP	43-037-16150	14-20-603-2057		96-004190
	S-14 ✓	SAN JUAN	UT	SE	NW	04-41S-25E	INJ OP	43-037-16151	14-20-603-2057		96-004190
	T-08 ✓	SAN JUAN	UT	SW	SE	28-40S-25E	INJ OP	43-037-05793	14-20-603-2048-A		96-004190
	T-13	SAN JUAN	UT	NW	NE	04-41S-25E	INJ OP	43-037-05714	14-20-603-2057		96-004190
	T-15 ✓	SAN JUAN	UT	NW	SE	04-41S-25E	INJ OP	43-037-05660	14-20-603-2057		96-004190
	T-17 ✓	SAN JUAN	UT	NW	NE	09-41S-25E	INJ OP	43-037-05614	14-20-603-359		96-004190
	T-19 ✓	SAN JUAN	UT	NW	SE	09-41S-25E	INJ OP	43-037-15981	14-20-603-359		96-004190
	U-10 ✓	SAN JUAN	UT	SE	NE	33-40S-25E	INJ OP	43-037-05761	14-20-603-2057		96-004190
	V-06 ✓	SAN JUAN	UT	SW	NW	27-40S-25E	INJ OP	43-037-16382	14-20-603-2048-A		96-004190
	V-13 ✓	SAN JUAN	UT	NW	NW	03-41S-25E	INJ OP	43-037-05706	14-20-603-2057		96-004190
	V-15 ✓	SAN JUAN	UT	NW	SW	03-41S-25E	INJ OP	43-037-05669	14-20-603-2057		96-004190
NAV TRACT 125	28-23 ✓	SAN JUAN	UT	NE	SW	28-41S-25E	INJ OP	43-037-30511			
WHITE MESA	2-21 ✓	SAN JUAN	UT	NE	NW	2-42S-24E	INJ OP	43-037-15534	14-20-603-259		96-004193
	3-12 ✓	SAN JUAN	UT	SW	NW	3-42S-24E	INJ OP	43-037-15366	14-20-603-410		96-004193
	3-21 ✓	SAN JUAN	UT	NE	NW	3-42S-24E	INJ OP	43-037-15363	14-20-603-410		96-004193
	3-23 ✓	SAN JUAN	UT	NE	SW	3-42S-24E	INJ TA	43-037-16447	14-20-603-410		96-004193
	4-14 ✓	SAN JUAN	UT	NE	SE	4-42S-24E	INJ OP	43-037-16448	14-20-603-410		96-004193
	4-21 ✓	SAN JUAN	UT	NE	NW	4-42S-24E	INJ OP	43-037-15364	14-20-603-410		96-004193
	4-32 ✓	SAN JUAN	UT	SW	NE	4-42S-24E	INJ OP	43-037-15365	14-20-603-410		96-004193
	4-34 ✓	SAN JUAN	UT	SW	SE	4-42S-24E	INJ OP	43-037-16449	14-20-603-410		96-004193
	4-41 ✓	SAN JUAN	UT	NE	NE	4-42S-24E	INJ OP	43-037-16446	14-20-603-410		96-004193
	4-43 ✓	SAN JUAN	UT	NE	SE	4-42S-24E	INJ OP	43-037-15369	14-20-603-410		96-004193
	10-41 ✓	SAN JUAN	UT	NE	NE	10-42S-24E	INJ SI	43-037-16450	14-20-603-410		96-004193
	22-23 ✓	SAN JUAN	UT	NE	SW	22-42S-24E	INJ SI	43-037-16438	14-20-603-355A		96-004193
	22-32 ✓	SAN JUAN	UT	SW	NE	22-41S-24E	INJ SI	43-037-15759	14-20-603-355A		96-004193
	22-42 ✓	SAN JUAN	UT	SW	SE	22-41S-24E	INJ SI	43-037-16437	14-20-603-355A		96-004193
	28-34 ✓	SAN JUAN	UT	SW	SE	28-41S-24E	INJ SI	43-037-16441	14-20-603-409		96-004193

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

RECEIVED
MAY 16 1986

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



R. D. Baker
Environmental Regulatory Manager

CNE/rd
CNE8661

UTAH DIVISION OF OIL, GAS AND MINING
CASING-BRADENHEAD TEST

OPERATOR: MEPNA
FIELD: Greater Aneth LEASE: McElmo Creek
WELL # McElmo T-8 Navajo #7 SEC. 28 TOWNSHIP 40S RANGE 25E
STATE FED. FEE 5773 TYPE WELL INJW MAX. INJ. PRESS. 2800

TEST DATE 9/9/86

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>	<u>13 3/8</u>	<u>159</u>	<u>200</u>	<u>—</u>	<u>Bradenhead cemented</u>	
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>	<u>5 1/2</u>	<u>5900</u>	<u>400</u>	<u>0#</u>		
<u>TUBING</u>	<u>2 7/8"</u>	<u>5773</u>		<u>1700#</u>		

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
<u>SURFACE</u>						
<u>INTERMEDIATE</u>						
<u>PRODUCTION</u>						
<u>TUBING</u>						

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☐ Oil Well ☐ Gas Well ☒ Other **INJECTION WELL**

2. Name of Operator
MOBIL OIL CORPORATION

3. Address and Telephone No.
P.O. BOX 633 MIDLAND, TEXAS 79702

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
660' FSL, 1980' FEL, SEC.28, T40S, R25E

JAN 29 1991

DIVISION OF
OIL, GAS & MINING

(915)688-2585

5. Lease Designation and Serial No.
14-20-603-2048

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation
MCCELMO CREEK UNIT

8. Well Name and No.
T-08

9. API Well No.
43-037-16377

10. Field and Pool, or Exploratory Area
GREATER ANETH

11. County or Parish, State
SAN JUAN, UT

12. **CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☐ Other **CO2 INJECTION**

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☒ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

10-23-90 MIRU POOL WELL SERVICE

10-24-90 POOH W/TBG & PKR.

10-25-90 CLEANED IRON SULFIDE & SCALE FROM 5785-5884 PBTD

10-26-90 ACDZ D.C. PERFS 5810-5882 W/5700 GALS 15% DINEFE HCL ACID + 1000 GALS OF GELLED BRINE +2500# ROCK SALT.

10-29-90 SPOTTED 2SX SAND ON RTBP @5745'. SPOTTED 50SX g + 6% D127 +2% CACL2 FROM 1437-1027. (10 BBLS OF 15.6#/GAL SLURRY). PUMPED 4 1/2 BBLS OF CMT INTO CSG LEAK 1375-1460 DOWN 5 1/2 CSG & SQZ'D OFF @ 940#. EST TOP OF CMT @ 1200'

10-30-90 DRILLED CMT FROM 1298-1370. CIRC HOLE CLEAN. PRESS TEST 500#/30 MIN/OK

11-01-90 CLEANOUT W/BIT FROM 5878-5884 PBTD. CIRC. HOLE CLEAN. RIH W/2 7/8 CMT LINED TBG & LOK-SET PKR.

11-02-90 SET PKR @ 5718'. PRESS TEST 5 1/2 CSG & PKR TO 1000#/30 MIN/OK. RD & REL POOL WS

14. I hereby certify that the foregoing is true and correct

Signed Shirley Todd **SHIRLEY TODD**

Title

MINOR EXPLORATION & PRODUCING U.S. INC.
PLANT FOR IRON PRODUCING IN A MEXICO

Date **1-24-91**

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:


Title

Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

***See Instruction on Reverse Side**

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT



FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <u>Injector</u> <u>WIW</u>	5. Lease Designation and Serial No. <u>14-20-603-2048-A</u>
2. Name of Operator <u>MOBIL OIL CORPORATION</u> <u>MOBIL EXPLORATION & PROD</u>	6. If Indian, Allottee or Tribe Name <u>Navajo Tribal</u>
3. Address and Telephone No. <u>P.O. BOX 633, MIDLAND, TX 79702</u> <u>(915)688-2585</u>	7. If Unit or CA, Agreement Designation <u>McElmo Creek Unit</u>
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) <u>660' FSL, 1980' FEL</u> <u>Sec. 28, T40S, R25E</u>	8. Well Name and No. <u>McElmo Creek T-08</u>
	9. API Well No. <u>43-037-16377</u>
	10. Field and Pool, or Exploratory Area <u>Greater Aneth</u>
	11. County or Parish, State <u>San Juan, UT</u>

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other <u>MIT Failures</u>	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log (form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIT Failure due to mechanical or casing leak. A procedure will be submitted if the well has a casing leak

14. I hereby certify that the foregoing is true and correct		
Signed <u>Shirley Robertson</u>	Title <u>Environmental + Reg Technician</u>	Date <u>7-22-95</u>
(This space for Federal or State office use)		
Approved by _____	Title _____	Date _____
Conditions of approval, if any: _____		

STATE OF UTAH
INVENTORY OF INJECTION WELLS

OPERATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
*****	*****	*****	***	***	**	*****	*****
✓MEPNA (MOBIL	43-037-15617	F-11	40S	24E	36	INJW	Y
✓MEPNA (MOBIL	43-037-16350	H-11	40S	24E	36	INJW	Y
✓MEPNA (MOBIL	43-037-15618	G-12	40S	24E	36	INJI	Y
✓MEPNA (MOBIL	43-037-15619	I-12	40S	24E	36	INJW	Y
✓MEPNA (MOBIL	43-037-16377	T-8	40S	25E	28	INJW	Y
✓MEPNA (MOBIL	43-037-16366	P-7	40S	25E	29	INJW	Y
✓MEPNA (MOBIL	43-037-16362	N-7	40S	25E	29	INJW	Y
✓MEPNA (MOBIL	43-037-15961	M-10	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-16359	L-9	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-15955	K-12	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-16354	J-11	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-15958	L-11	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-15962	M-12	40S	25E	31	INJW	Y
✓MEPNA (MOBIL	43-037-16367	P-9	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-31677	Q12A	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15968	O-12	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15971	P-11	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15965	N-11	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15967	O-10	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15964	N-9	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-15973	Q-10	40S	25E	32	INJW	Y
✓MEPNA (MOBIL	43-037-30080	T-09A	40S	25E	33	INJW	Y
✓MEPNA (MOBIL	43-037-16155	U-12	40S	25E	33	INJW	Y
✓MEPNA (MOBIL	43-037-16375	S-10	40S	25E	33	INJW	Y
✓MEPNA (MOBIL	43-037-30179	R-11A	40S	25E	33	INJI	Y
✓MEPNA (MOBIL	43-037-16381	U-10	40S	25E	33	INJW	Y
✓MEPNA (MOBIL	43-037-16147	R-09	40S	25E	33	INJI	Y
✓MEPNA (MOBIL	43-037-16150	S-12	40S	25E	33	INJW	Y
✓MEPNA (MOBIL	43-037-16351	H-13	41S	24E	1	INJW	Y
✓MEPNA (MOBIL	43-037-16144	G-16	41S	24E	1	INJW	Y
✓MEPNA (MOBIL	43-037-16345	F-13	41S	24E	1	INJW	Y
✓MEPNA (MOBIL	43-037-16143	G-14	41S	24E	1	INJW	Y
✓MEPNA (MOBIL	43-037-15495	H-15	41S	24E	1	INJI	Y
✓MEPNA (MOBIL	43-037-15497	I-16	41S	24E	1	INJW	Y
✓MEPNA (MOBIL	43-037-31149	F-15A	41S	24E	1	INJI	Y
✓MEPNA (MOBIL	43-037-16267	D-13	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-16268	E-14	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-16341	D-15	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-16340	B-15	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-15616	E-16	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-16265	C-14	41S	24E	2	INJW	Y
✓MEPNA (MOBIL	43-037-16338	A-17	41S	24E	10	INJW	Y
✓MEPNA (MOBIL	43-037-15704	D-17	41S	24E	11	INJW	Y
✓MEPNA (MOBIL	43-037-16342	E-19	41S	24E	11	INJW	Y
✓MEPNA (MOBIL	43-037-15702	C-18	41S	24E	11	INJI	Y
✓MEPNA (MOBIL	43-037-15496	H-17	41S	24E	12	INJI	Y
✓MEPNA (MOBIL	43-037-16346	G-19	41S	24E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15709	I-18	41S	24E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15710	I-20	41S	24E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15493	F-17	41S	24E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15494	G-18	41S	24E	12	INJI	Y
✓MEPNA (MOBIL	43-037-16352	I-23	41S	24E	13	INJI	Y
✓MEPNA (MOBIL	43-037-16348	G-23	41S	24E	13	INJW	Y

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ **Well File** _____
 (Location) Sec _____ Twp _____ Rng _____
 (API No.) _____

☐ **Suspense**
 (Return Date) _____
 (To - Initials) _____

☒ **Other**
OPER NM CHG _____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☐)
 Talked to:

Name R. J. FIRTH (Initiated Call ☒) - Phone No. () _____
 of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.

*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

1- <u>LVC</u>	7- <u>PL</u>
2- <u>LWP</u>	8- <u>SJ</u>
3- <u>DTG</u>	9- <u>FILE</u>
4- <u>VLC</u>	
5- <u>RJF</u>	
6- <u>LWP</u>	

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☐ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☒ **Operator Name Change Only**

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) **MOBIL EXPLOR & PROD**
 (address) **C/O MOBIL OIL CORP**
PO DRAWER G
CORTEZ CO 81321
 phone (303) **564-5212**
 account no. **N7370**

FROM (former operator) **M E P N A**
 (address) **C/O MOBIL OIL CORP**
PO DRAWER G
CORTEZ CO 81321
 phone (303) **564-5212**
 account no. **N7370**

Well(s) (attach additional page if needed):

Name: ** SEE ATTACHED **	API: <u>037-16377</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- Lec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- LWP 6. Cardex file has been updated for each well listed above. 8-31-95
- LWP 7. Well file labels have been updated for each well listed above. 9-28-95
- Lec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- Lec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only) ** No Fee Lease Wells at this time!*

- N/A Yes 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- ___ 2. A copy of this form has been placed in the new and former operators' bond files.
- ___ 3. The former operator has requested a release of liability from their bond (yes/no) ___. Today's date _____ 19___. If yes, division response was made by letter dated _____ 19__.

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated _____ 19__, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

FILMING

- ✓ 1. All attachments to this form have been microfilmed. Date: October 6 1995.

FILING

- ___ 1. Copies of all attachments to this form have been filed in each well file.
- ___ 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 UIC F5/Not necessary!

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well

☐ Gas Well

☐ Other

INJECTOR

2. Name of Operator

Mobil Exploration & Producing U.S. Inc.
as Agent for Mobil Producing TX & NM Inc.

3. Address and Telephone No.

P.O. Box 633, Midland, TX 79702

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL, 1980' FEL,
SEC. 28-T40S-R25E

RECEIVED
DEC 01 1995

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-2048-A

6. If Indian, Allottee or Tribe Name

NAVAJO TRIABAL

7. If Unit or CA, Agreement Designation

MCELMO CREEK UNIT

8. Well Name and No.

MCELMO CREEK T-08

9. API Well No.

43-037-16377

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

DIV. OF OIL, GAS & MINING

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other

WORKOVER

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED PROCEDURES

Accepted by the
Utah Division of
Oil, Gas and Mining
FOR RECORD ONLY

14. I hereby certify that the foregoing is true and correct

Signed Kelli Russell for Shirley Robertson

Title ENV. & REG. TECHNICIAN

Date 11-27-95

(This space for Federal or State office use)

Approved by _____

Title _____

Date _____

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instruction on Reverse Side

MEPUS, FOUR CORNERS AREA
WORKOVER PROGRAM

FIELD: Greater Aneth
LEASE: McElmo Creek Unit
AFE: 5AX4 for #105M 8/8ths

DATE: 17 NOV 95
WELL: T-08
PRISM ID #: 0000410

LOCATION: 660'FSL, 1980'FEL, SEC. 28-T40S-R25E

ELEVATION: 4960' RKB
PBSD: 5884 FT. MD.

TOTAL DEPTH: 5900 FT. MD.

WORKOVER RIG: BIG A

WORKOVER FLUID: 10 ppg brine

EXISTING PERFS: 5810'-5818', 5822'-5828', 5834'-5845', 5870'-5882'

PROPOSED PERFS: SAME AS EXISTING

PROPOSED WORK: Pull and lay down 2-7/8", 6.5 lb/ft J-55 EUE 8rd fluoro-lined injection tubing, PU 2-7/8" EUE 8rd workstring, retrieve Baker packer, on/off tool, and downhole shut off valve, clean well out TO 5884' using bit/scraper, run GR/METT/CCL log, PT and squeeze casing as necessary, set a wireline set, tubing retrievable packer, complete well with a latching seal assembly using used 2-7/8", 6.5 lb/ft J-55 EUE 8rd KCTS fluoro-lined tubing.

If the well can not be killed with 10 ppg brine, snubbing operations will be used for this workover until a wireline set production packer having a pump out plug has been set.

JUSTIFICATION: The T-08 failed mechanical integrity testing and was shut in as required by the EPA. This well directly supports 23 BOPD of a total pattern production of 41 BOPD which will be lost if this work is not completed.

PREPARED BY: S. S. MURPHY

McElmo Creek T-08
Workover Procedure

1. Lock and tag out all power sources. RU pump and pump lines to christmas tree. Bullhead 50 bbls of 10 ppg brine into well. Observe well the next day to confirm if well is dead.
2. MI workover rig having 108' derrick. Bleed off casing pressure. Unbolt tree and PU 20,000 lbs tension and rotate 1 turn to the left to close downhole shut off valve. If well is not dead, bleed off tubing pressure to confirm downhole shut off valve is closed. If downhole shut off valve will not hold, set a 1.81" plug in the F profile in the on/off tool using slickline.
3. Release on/off tool. ND tree. NU and PT BOP's to 3000 psi high and 250 psi low. Circulate hole to 10 ppg brine. PT casing to 1000 psi for 30 minutes (5 percent or less leakoff is acceptable). POH laying down injection tubing. Use open rotary type tongs with backup on collar (Do not use Foster type closed rotary tongs). Install thread protectors while laying down tubing. Send injection tubing to Permian Enterprises in Odessa, Texas for inspection/repair. Send tree to Big Red Tool, Farmington for inspection and replacement of AB modified teflon seal ring in bottom of tree. Have tree returned in time for use on this well.
4. If well was not dead, RU snubbing unit. PU and RIH with 2-7/8" J-55 EUE 8rd workstring and on/off tool skirt. Release Baker inverted Lok-Set packer at 5718' and POH. RIH with 4-3/4" rock bit and casing scraper for 5-1/2", 15.5 lb/ft casing and CO well to 5884'. POH. Note: Space casing scraper out to not enter top perforation.
5. If 5-1/2" casing failed to PT in Step No. 3, RIH with squeeze packer and locate casing leak. POH. RU Schlumberger. RIH with GR/METT/CCL and log from 5884' to 4800'. POH. RIH and set CIBP at 5716'. RD snubbing unit if it was being used. RIH open ended and Spot 50 sxs of class B cement containing 2 percent CaCl₂ across leak, pull out of cement, reverse out, and bradenhead squeeze to 1000 psi. Stage squeeze as necessary.
6. POH. WOC 12 hours.
7. RIH with 4-3/4" rock bit without nozzles and casing scraper on 2-7/8" workstring and drill out cement. CO to top of CIBP. PT casing to 1000 psi. POH. Resqueeze as necessary. If PT OK then RIH with junk mill and drill out CIBP and CO to 5884'. POH laying down workstring.

8. RU Schlumberger wireline and lubricator. PT lubricator to 1000 psi or wellhead pressure if higher. RIH with GR/METT/CCL and log from PBTD at 5884' to 4800' if log was not previously run. POH. RIH with junk basket/guage ring to 5718'. POH.

9. RIH with the following production packer assembly on wireline:

DESCRIPTION	MAX. O.D. in.	MIN. I.D. in.	LENGTH ft.
5-1/2" X 2.688" 14 lb/ft wireline set Guiberson Uni-X retrievable seal bore packer (Nickel plated and plastic coated) with 90 Duro Nitrile ends w/78 Duro Polyepichlorohydrin CO2 center elastomers w/4.5' X 2.688" 316 stainless steel seal bore extension w/Aflas o-rings on all threaded connections	4.75	2.688	11.42
316 stainless steel sealbore AB modified box X 2-3/8" EUE 8rd pin x-over	4.75	1.995	0.75
6 ft 316 stainless steel 2-3/8", 4.7 lb/ft pup joint w/EUE 8rd AB Modified box X pin	3.063	1.995	6.0
316 stainless steel Model F non-ported seating nipple, Size 1.812 w/2-3/8", 4.7 lb/ft EUE 8rd AB Modified box X pin	3.063	1.812	1.0
6 ft 316 stainless steel 2-3/8", 4.7 lb/ft pup joint w/EUE 8rd AB Modified box X pin	3.063	1.995	6.0
316 stainless steel Model R non-ported NoGo seating nipple, Size 1.781 w/2-3/8", 4.7 lb/ft EUE 8rd AB Modified box X pin	3.063	1.728	1.0
316 stainless steel wireline entry guide w/pump-out plug, size 2-3/8", 4.7 lb/ft EUE 8rd AB Modified box	3.063	1.995 (After plug pumped out)	0.5

NOTE: All connections to be made up with Baker super B.

10. Set top of packer at 5710'EL. NOTE: Based on METT log, packer setting depth can be adjusted to not set in bad casing or in a casing collar. POH with setting tool. Bleed off casing pressure. RDMO wireline. RD snubbing unit if it was required in previous steps.

11. PU and RIH with the following latch type seal assembly and used injection string:

DESCRIPTION	MAX. O.D. in.	MIN. I.D. in.	LENGTH ft.
2-3/8", 4.7 lb/ft AB Modified 8rd X 2.688" Guiberson latch nipple w/ATR seals, 7 ft long spacer tube, one ATR seal nipple, one ATR seal unit, one ATR seal unit made of 316 stainless steel, 1/2 muleshoe made of 316 stainless steel, I.D. of flow area of seal assembly is plastic coated, all 8 TPI stub acme boxes to have Aflas o-rings, all 10 rd boxes to be AB modified with Teflon rings installed. Assembly to be pressure tested to 3000 psi using nitrogen prior to being sent to location.	3.45	1.901	11.0
6' pup joint, 2-3/8" 316 stainless steel	3.063	2.25	6.0
4.7 lb/ft with EUE 8rd AB Modified Box X Pin			
316 stainless steel Model F non-ported seating nipple, Size 1.87 w/2-3/8", 4.7 lb/ft EUE 8rd AB Modified box x pin	3.063	1.87	2.0
316 stainless steel 2-7/8", 6.5 lb/ft EUE 8rd AB Modified Box X 2-3/8", 4.7 lb/ft EUE 8rd pin x-over	3.668	2.25	1.0
2-7/8" KCTS box X EUE 8rd pin	3.668	2.14	1.0
2-7/8", 6.5 lb/ft J-55 KCTS (Threadmasters Torque Ring) Fluorolined Tubing w/pup joints as required	3.668	2.14	+/- 5689'

NOTE: A. All used KCTS tubing to be torque turned to 2250 ft-lbs. All connections of seal assembly and tubing to be made up using Baker super B thread compound containing teflon. Use permitek on permiserts. Bill Allman with Permian to supervise running of tubulars 505/632-8702.

B. Rabbit tubing with 2.0" O.D. rabbit.

12. Sting seal assembly into production packer and space out for 15,000 lbs compression at surface. PT backside to 500 psi. Rotate to the right and release seal assembly from packer. Install necessary 2-7/8", 6.5 lb/ft J-55 KCTS fluorolined tubing pup joints and landing joint. Reverse circulate fresh water packer fluid containing 1 percent by volume of Tretolite CRW137 corrosion inhibitor/oxygen scavenger.

13. ND BOPS. Screw on christmas tree. Insure that Teflon ring in box on christmas tree is a new ring. Snap into snap latch and confirm by pulling 10,000 lbs tension. Land tree and bolt up flange. Pressure tubing to 2500 psi and shear out pump out plug. RDMD workover rig. Hook up injection lines. Clean location.


14. Perform Mechanical Integrity Test (MIT) for EPA. Contact Jim Walker of the Navajo EPA in Shiprock at 505/368-1040 to witness. Use chart recorder to record test. Send copies of chart to Shirley Robertson, Midland - 1046 MOB, Ed Barber, Aneth, and Aneth files. Fill out Utah tax credit form and submit to Tiny Higman, Cortez office. After obtaining an acceptable MIT, place well on water injection on maximum choke.

VENDORS LIST

<u>DESCRIPTION</u>	<u>VENDOR</u>
Snubbing Unit (If Necessary)	Live Well
Corrosion Inhibitor	Tretolite
Supervision of running tubulars	Bill Allman
Torque Turn Services	Tong Rentals, Inc.
Logging, perforating, junk basket/ gauge ring, packer setting	Schlumberger
Production packer, 316 stainless steel tubing nipples, seal assembly, wireline re-entry guide, pump out plug	Guiberson
316 Stainless steel pup joints, x-overs	Guiberson
Cementing Services (If Necessary)	Halliburton
Inspection of Christmas Tree	Big Red Tool
Inspection of used tubing string and repair	Permian Interprises
Bit, scraper, squeeze packer, water hauling	Not Specified

McELMO CREEK UNIT # T-08
GREATER ANETH FIELD
660' FSL & 1980' FEL
SEC 28-T40S-R25E
SAN JUAN COUNTY, UTAH
API 43-037-05793
PRISM

INJECTOR



ENGINEERS CALCULATION SHEET

FOR

JOB OR AUTH. NO.

LOCATION

PAGE

SUBJECT McElmo Creek Unit T-08

DATE 16/Nov/95

Injection Well Repair


BY S.S. Murphy

PROPOSED

2-7/8" 6.5 lb/ft J-55
Fluorolined EUE 8rd tbg.
with tongue rings (Reconditioned)

Guiberson ATR Latching
Seal Assembly

Guiberson Wireline Set
Uni-X Packer at 5710'



PERFS

5810 - 5818'

5822 - 5828'

5834 - 5865'

5870 - 5882'

PBTD 5884'

TD 5900'

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-2048-A

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

MCELMO CREEK UNIT

8. Well Name and No.

MCELMO CREEK I-08

9. API Well No.

43-037-16377

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other

INJECTOR

2. Name of Operator Mobil Exploration & Producing U.S. Inc.

as Agent for Mobil Producing TX & NM Inc.

3. Address and Telephone No.

P.O. Box 633, Midland, TX 79702

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

660' FSL, 1980' FEL,

SEC. 28, T40S, R25E

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other

WORKOVER

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12-04-96 TO 12-15-96 MIRU, POOH, PKR TBG. P/U BIT & CS, TAG FILL @ 5828, RIH W/ RBP & 5725' PRESS TEST TO 1000# PSI. ISOLATE LEAK F/ 915'-977, DUMP 10 GALS OF SAND ON RBP. CIRC FW, SPOT 20 SKS MICRO MATRIX CMT W/ 2% HALAD 344, SQZ TO 1080# PSI. TAG TOC @ 660', DO GOOD CMT F/ 660' TO 960', CIRC CLEAN, PRES TEST SQZ TO 1000# PSI F/ 30 MIN & HELD. REL RBP. PU BAILER, FILL F/ 5828-5884' (PBD). SET PKR @ 5696' TALLY W/ 179 JTS CMT LINED. CIRC PKR FLUID, PRES TEST CSG TO 1000# PSI F/ 30 MIN & HELD. RDMO.

14. I hereby certify that the foregoing is true and correct

Signed

Shelley Robertson

Title

ENV. & REG. TECHNICIAN

Date

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

MOBIL PRODUCING TX & NM INC.*
*MOBIL EXPLORATION & PRODUCING US INC. AS AGENT FOR MPTM

3. Address and Telephone No.

P.O. Box 633, Midland TX 79702 (915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

(SW/SE) SEC.28, T40S, R25E
660' FSL & 1980' FEL

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-2048-A

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

MCELMO CREEK UNIT

8. Well Name and No.

MCELMO CREEK UNIT T-08

9. API Well No.

43-037-16377

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice


TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other MIT & CHART
- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SCHEDULED MIT (1999)

ATTACHED MIT & CHART



14. I hereby certify that the foregoing is true and correct

Signed

Shirley Houchins

Title SHIRLEY HOUCHINS, ENV. & REG. TECH

Date 7-09-99

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

* See Instruction on Reverse Side

ANNULAR PRESSURE TEST

(Mechanical Integrity Test)

Operator MOBIL E. & P., INC. Date of Test 6-30-99
Well Name MCEIMO CREEK UNIT WELL # T-08 EPA Permit No. _____
Location SEC 28, T40S, R2SE Tribal Lease No. 14206032048A
State and County SAN JUAN COUNTY, UTAH
Continuous Recorder? YES ☒ NO ☒ Pressure Gauge? YES ☒ NO ☐
Bradenhead Opened? YES ☐ NO ☒ Fluid Flow? YES ☐ NO ☒

<u>TIME</u>	<u>ANNULUS PRESSURE, psi</u> <small>0-1500 psi gauge</small>	<u>TUBING PRESSURE, psi</u>
<u>11:25 AM</u>	<u>1120</u>	<u>2150</u>
<u>11:30 AM</u>	<u>1100</u>	<u>2150</u>
<u>11:35 AM</u>	<u>1100</u>	<u>2150</u>
<u>11:40 AM</u>	<u>1095</u>	<u>2150</u>
<u>11:45 AM</u>	<u>1085</u>	<u>2150</u>
<u>11:50 AM</u>	<u>1080</u>	<u>2150</u>
<u>11:55 AM</u>	<u>1075</u>	<u>2150</u>

MAX. INJECTION PRESSURE: 2750 PSI
MAX. ALLOWABLE PRESSURE CHANGE: 56.0 PSI (TEST PRESSURE X 0.05)
REMARKS: Passed? Failed? If failed, cease injection until well passes MIT (40CFR§144.21(c)(6)).

Bradenhead buried.

Active

Gauge on annulus only, no chart recorder for annulus pressure.


Passed MIT.

ALBERT M. TOHTSONIE, Am Tohtsonie
COMPANY REPRESENTATIVE: (Print and Sign)

6-30-99
DATE

MELVINA K. CLAH Melvina K. Clah
INSPECTOR: (Print and Sign)

6-30-99
DATE



ExxonMobil Production Comp
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF
OIL, GAS AND MINING



IN REPLY REFER TO:

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

Navajo Area Office
NAVAJO REGIONP.O. Box 1060
Gallup, New Mexico 87305-1060

AUG 30 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

DENNET DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM 1	<i>DBM</i>
NATV AM MIN COORD _____	
SOLID MIN TEAM _____	
PETRO MIN TEAM <i>2</i> _____	
O & G INSPECT TEAM _____	
ALL TEAM LEADERS _____	
LAND RESOURCES _____	
ENVIRONMENT _____	
FILES _____	

ExxonMobil Production Company

U.S. West

P.O. Box 4358

Houston, Texas 77210-4358

7/12/01
543
File


June 27, 2001

Certified Mail

Return Receipt Requested

ExxonMobil
Production

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543



Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.


Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isaac

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS


Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>


Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800, whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218




Signature
AGENT AND ATTORNEY IN FACT
Title

SAL

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;


FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.


Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.


Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION**Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

1000 West Loop South, Suite 1900, Houston, Texas 77027-3301
Houston, TX 77027-4600 • Telephone: (713) 297-4750

NEW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97
wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of **United States of America, Department of the Interior**
Bureau of Indian Affairs

in the amount of **\$150,000.00**
bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By: 

FEDERAL INSURANCE COMPANY

By: 
Mary Pierson, Attorney-in-fact



**POWER
OF
ATTORNEY**

**Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company**

**Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059**

Know All by These Presents, That **FEDERAL INSURANCE COMPANY**, an Indiana corporation, **VIGILANT INSURANCE COMPANY**, a New York corporation, and **PACIFIC INDEMNITY COMPANY**, a Wisconsin corporation, do each hereby constitute and appoint **R.F. Bobo, Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----**

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said **FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY** have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson
Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this 10th day of May, 2001

to me known to be Assistant Secretary of **FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY**, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of **FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY** and knows the corporate seals thereof, that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said Companies in the presence of said Notary Public.



Notary Public State of New Jersey
No. 2231647

Commission Expires Oct. 28, 2004

Karen A. Price

Notary Public

Extract from the By-Laws of **FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY**:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of **FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY** (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel
Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY
Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

**CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION**

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is **MOBIL OIL CORPORATION** and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation,"

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 09:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.


F. A. Risch, President

STATE OF TEXAS)
COUNTY OF DALLAS)


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.


F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]


NOTARY PUBLIC, STATE OF TEXAS



=> CSC

TEL=5184334741

06/01'01 08:19

CSC
CSC


5184334741

06/01 '01 09:01 NO. 411 02/02
06/01 '01 09:06 NO. 152 04/04
F010601000187**CSC 45****CERTIFICATE OF AMENDMENT****OF****MOBIL OIL CORPORATION**

Under Section 805 of the Business Corporation Law

**STATE OF NEW YORK
DEPARTMENT OF STATE**Filed by: EXXONMOBIL CORPORATION
(Name)

FILED JUN 01 2001

6949 Las Colinas Blvd.
(Mailing address)TAX \$ _____
BY: SACIrving, TX 75039-2298
(City, State and Zip code)ny / AlbanyCust Ref # 165578 MPJ**010601000195**

=> CSC

TEL=5184334741

06/01'01 08:19

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on **JUN 01 2001**



Special Deputy Secretary of State

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH

2. CDW

3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: **06-01-2001**

FROM: (Old Operator):	TO: (New Operator):
MOBIL EXPLORATION & PRODUCTION	EXXONMOBIL OIL CORPORATION
Address: P O BOX DRAWER "G"	Address: U S WEST P O BOX 4358
CORTEZ, CO 81321	HOUSTON, TX 77210-4358
Phone: 1-(970)-564-5212	Phone: 1-(713)-431-1010
Account No. N7370	Account No. N1855

CA No.

Unit:

MCELMO CREEK

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
MCELMO CREEK F-11	36-40S-24E	43-037-15617	5980	INDIAN	WI	A
MCELMO CREEK G-12	36-40S-24E	43-037-15618	5980	INDIAN	WI	A
MCELMO CREEK I-12	36-40S-24E	43-037-15619	5980	INDIAN	WI	A
NAVAJO A-2 (MCELMO H-11)	36-40S-24E	43-037-16350	99990	INDIAN	WI	A
NAVAJO 7 (MCELMO T-8)	28-40S-25E	43-037-16377	99990	INDIAN	WI	A
NAVAJO TRIBE F-3 (MCELMO N-7)	29-40S-25E	43-037-16362	99990	INDIAN	WI	A
NAVAJO TRIBE F-18 (MCELMO P-7)	29-40S-25E	43-037-16366	99990	INDIAN	WI	A
MCELMO CREEK K-12	31-40S-25E	43-037-15955	5980	INDIAN	WI	A
NAVAJO TRIBE C-33-31 (MCELMO L-11)	31-40S-25E	43-037-15958	99990	INDIAN	WI	A
MCELMO CREEK M-10	31-40S-25E	43-037-15961	5980	INDIAN	WI	A
MCELMO CR M-12	31-40S-25E	43-037-15962	5980	INDIAN	WI	A
NAVAJO TRIBE C-13-31 (MCELMO J-11)	31-40S-25E	43-037-16354	99990	INDIAN	WI	A
NAVAJO TRIBE C-31-31 (MCELMO L-9)	31-40S-25E	43-037-16359	99990	INDIAN	WI	A
NAVAJO C-11-32 (MCELMO N-9)	32-40S-25E	43-037-15964	99990	INDIAN	WI	I
NAVAJO C-13-32 (MCELMO N-11)	32-40S-25E	43-037-15965	99990	INDIAN	WI	A
MCELMO CREEK O-10	32-40S-25E	43-037-15967	5980	INDIAN	WI	A
MCELMO O-12	32-40S-25E	43-037-15968	5980	INDIAN	WI	A
MCELMO CREEK P-11 (RE-ENTRY)	32-40S-25E	43-037-15971	5980	INDIAN	WI	A
MCELMO CREEK Q-10 (RE-ENTRY)	32-40S-25E	43-037-15973	5980	INDIAN	WI	A
NAVAJO C-31-32 (MCELMO P-9)	32-40S-25E	43-037-16367	99990	INDIAN	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")**

The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 04/16/2002

NOTE: EPA ISSUES UIC PERMITS

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 04/16/2002
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 04/16/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation PO Box 4358 Houston, TX 77210-4358 Phone: 1 (281) 654-1936		TO: (New Operator): N2700-Resolute Natural Resources Company 1675 Broadway, Suite 1950 Denver, CO 80202 Phone: 1 (303) 534-4600
CA No.	Unit:	MC ELMO (UIC)

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
- Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
- If **NO**, the operator was contacted on: _____
- (R649-9-2)Waste Management Plan has been received on: requested
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 6/22/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: 6/22/2006
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: n/a
- Indian well(s) covered by Bond Number: PA002769
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT


Well Name and Number See attached list	API Number Attached
Location of Well Footage : See attached list County : San Juan QQ, Section, Township, Range: State : UTAH	Field or Unit Name McElmo Creek Unit Lease Designation and Number See attached list

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OPERATOR

Company: Exxon Mobil Oil Corporation Name: _____
Address: PO Box 4358 Signature: _____
city Houston state TX zip 77210-4358 Title: _____
Phone: (281) 654-1936 Date: _____
Comments: Exxon Mobil has submitted a separate, signed copy of UIC Form 5

NEW OPERATOR

Company: Resolute Natural Resources Company Name: Dwight E Mallory
Address: 1675 Broadway, Suite 1950 Signature: 
city Denver state CO zip 80202 Title: Regulatory Coordinator
Phone: (303) 534-4600 Date: 4/26/2006
Comments: A list of affected UIC wells is attached.
New bond numbers for these wells are:
BIA Bond # PA002769 and US EPA Bond # B001252

(This space for State use only)

Transfer approved by: 
Title: Field Operations Manager

Approval Date: 6/12/06

Comments:

RECEIVED
APR 24 2006
DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

5. LEASE DESIGNATION AND SERIAL NUMBER:

See attached list

6. IF INDIAN, ALLOTTEE OR TRIBE NAME:

Navajo Tribe

7. UNIT or CA AGREEMENT NAME:

McElmo Creek Unit

8. WELL NAME and NUMBER:

See attached list

9. API NUMBER:

Attached

10. FIELD AND POOL, OR WILDCAT:

Greater Aneth

1. TYPE OF WELL

OIL WELL ☐

GAS WELL ☐

OTHER Unit Agreement

2. NAME OF OPERATOR:

Resolute Natural Resources Company

N2700

3. ADDRESS OF OPERATOR:

1675 Broadway, Suite 1950

CITY

Denver

STATE

CO

ZIP

80202

PHONE NUMBER:

(303) 534-4600

4. LOCATION OF WELL

FOOTAGES AT SURFACE: See attached list

COUNTY: San Juan

QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:

STATE:

UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the McElmo Creek Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the McElmo Creek Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT)

Dwight E. Mallory

TITLE

Regulatory Coordinator

SIGNATURE

DATE

4/20/2006

(This space for State use only)

APPROVED 6122106

Earlene Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection</u>		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <u>N 1855</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Ship Rock</u>
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY <u>Houston</u> STATE <u>TX</u> ZIP <u>77210-4358</u>		7. UNIT or CA AGREEMENT NAME: <u>UTU68930A</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: _____ COUNTY: <u>San Juan</u>		8. WELL NAME and NUMBER: <u>McElmo Creek</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: _____ STATE: <u>UTAH</u>		9. API NUMBER: <u>attached</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, McElmo Creek lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of injection wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <u>Laurie B. Kilbride</u>	DATE <u>4/19/2006</u>

(This space for State use only)

APPROVED 6/22/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

(See Instructions on Reverse Side)

RECEIVED
APR 21 2006

DIV. OF OIL, GAS & MINING

GREATER ANETH FIELD UIC WELL LIST
McElmo Creek lease, San Juan County, Utah

Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Surface Location						
					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK	H11	430371635000S1	Active	14-20-0603-6145	NW	SE	36	40S	24E	1855FSL	2100FEL
MCELMO CREEK	I12	430371561900S1	Active	14-20-0603-6145	SE	SE	36	40S	24E	0595FSL	0595FEL
MCELMO CREEK	F11	430371561700S1	Shut-in	14-20-0603-6146	NW	SW	36	40S	24E	1885FSL	0820FWL
MCELMO CREEK	G12	430371561800S1	Active	14-20-0603-6146	SE	SW	36	40S	24E	1910FNL	2051FWL
MCELMO CREEK	D15	430371634100S1	Active	14-20-0603-6147	NW	SE	2	41S	24E	1830FSL	1830FEL
MCELMO CREEK	A17	430371633800S1	Active	14-20-0603-6148	NE	NE	10	41S	24E	1270FNL	0660FEL
MCELMO CREEK	C14	430371626500S1	Active	14-20-0603-6509	SE	NW	2	41S	24E	2140FNL	2140FWL
MCELMO CREEK	D13	430371626700S1	Active	14-20-0603-6510	NW	NE	2	41S	24E	0820FNL	1920FEL
MCELMO CREEK	E14	430371626800S1	Active	14-20-0603-6510	SE	NE	2	41S	24E	2050FNL	0500FEL
MCELMO CREEK	T08	430371637700S1	Shut-in	14-20-603-2048A	SW	SE	28	40S	25E	0660FSL	1980FEL
MCELMO CREEK	R09	430371614700S1	Active	14-20-603-2057	NW	NW	33	40S	25E	0500FNL	0625FWL
MCELMO CREEK	R11A	430373017900S1	Active	14-20-603-2057	NW	SW	33	40S	25E	2030FSL	0680FWL
MCELMO CREEK	R13	430371614800S1	Active	14-20-603-2057	NW	NW	4	41S	25E	0660FNL	0660FWL
MCELMO CREEK	R15	430371614900S1	Active	14-20-603-2057	NW	SW	4	41S	25E	1990FSL	0500FWL
MCELMO CREEK	S10	430371637500S1	Active	14-20-603-2057	SE	NW	33	40S	25E	1980FNL	1980FWL
MCELMO CREEK	S12	430371615000S1	Active	14-20-603-2057	SE	SW	33	40S	25E	0645FSL	2140FWL
MCELMO CREEK	S14	430371615100S1	Active	14-20-603-2057	SE	NW	4	41S	25E	2005FNL	1820FWL
MCELMO CREEK	S16	430371615200S1	Active	14-20-603-2057	SE	SW	4	41S	25E	0700FSL	1820FWL
MCELMO CREEK	T09A	430373008000S1	Active	14-20-603-2057	NW	NE	33	40S	25E	0940FNL	2035FEL
MCELMO CREEK	T13	430371637800S1	Active	14-20-603-2057	NW	NE	4	41S	25E	0500FNL	2090FEL
MCELMO CREEK	T15	430371637900S1	Active	14-20-603-2057	NW	SE	4	41S	25E	1880FSL	1890FEL
MCELMO CREEK	U10	430371638100S1	Active	14-20-603-2057	SE	NE	33	40S	25E	1980FNL	0610FSL
MCELMO CREEK	U12	430371615500S1	Active	14-20-603-2057	SE	SE	33	40S	25E	0660FSL	0805FEL
MCELMO CREEK	U14	430371615600S1	Active	14-20-603-2057	SE	NE	4	41S	25E	1980FNL	0660FEL
MCELMO CREEK	U16	430371615700S1	Active	14-20-603-2057	SE	SE	4	41S	25E	0550FSL	0745FEL
MCELMO CREEK	V13	430371638300S1	Active	14-20-603-2057	NW	NW	3	41S	25E	0660FNL	0660FWL
MCELMO CREEK	V15	430371638400S1	Active	14-20-603-2057	NW	SW	3	41S	25E	1980FSL	0560FWL
MCELMO CREEK	J17	430371549800S1	Active	14-20-603-263	NW	NW	7	41S	25E	0820FNL	0550FWL
MCELMO CREEK	J19	430371635600S1	Active	14-20-603-263	NW	SW	7	41S	25E	2056FNL	1997FWL
MCELMO CREEK	J21	430371549900S1	Active	14-20-603-263	NW	NW	18	41S	25E	0400FNL	0575FWL
MCELMO CREEK	K18	430371635700S1	Active	14-20-603-263	SE	NW	7	41S	25E	1830FNL	1808FWL
MCELMO CREEK	K20	430371550300S1	Active	14-20-603-263	SE	SW	7	41S	25E	0660FSL	1810FWL
MCELMO CREEK	K22X	430373040000S1	Active	14-20-603-263	SE	NW	18	41S	25E	2082FNL	1588FWL
MCELMO CREEK	K24	430371635800S1	Active	14-20-603-263	SE	SW	18	41S	25E	0660FSL	1801FWL
MCELMO CREEK	L17	430371636000S1	Active	14-20-603-263	NW	NE	7	41S	25E	0660FNL	1980FEL
MCELMO CREEK	L19	430371550500S1	Active	14-20-603-263	NW	SE	7	41S	25E	1860FSL	2140FEL
MCELMO CREEK	L21	430371550600S1	Active	14-20-603-263	NW	NE	18	41S	25E	0820FNL	1980FEL
MCELMO CREEK	L23	430371550700S1	Active	14-20-603-263	NW	SE	18	41S	25E	1980FSL	1980FEL
MCELMO CREEK	M18	430371551000S1	Active	14-20-603-263	SE	NE	7	41S	25E	1850FNL	0790FEL
MCELMO CREEK	M20	430371551100S1	Shut-in	14-20-603-263	SE	SE	7	41S	25E	0660FSL	0660FEL
MCELMO CREEK	N17	430371551400S1	Active	14-20-603-263	NW	NW	8	41S	25E	0810FNL	0660FWL
MCELMO CREEK	N19	430371551500S1	Active	14-20-603-263	NW	SW	8	41S	25E	1850FSL	0500FWL
MCELMO CREEK	N21	430371551600S1	Active	14-20-603-263	NW	NW	17	41S	25E	0660FNL	0660FWL
MCELMO CREEK	O18	430371551700S1	Active	14-20-603-263	SE	NW	8	41S	25E	1830FNL	1890FWL
MCELMO CREEK	P17	430371551900S1	Active	14-20-603-263	NW	NE	8	41S	25E	0660FNL	1980FEL

GREATER ANETH FIELD UIC WELL LIST
McElmo Creek lease, San Juan County, Utah

Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Surface Location						
					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK	P19	430371552000S1	Active	14-20-603-263	NW	SE	8	41S	25E	2140FSL	1980FEL
MCELMO CREEK	P21	430371636900S1	Active	14-20-603-263	NW	NE	17	41S	25E	0660FNL	1980FEL
MCELMO CREEK	P23A	430373143900S1	Active	14-20-603-263	SW	NE	17	41S	25E	2531FNL	2325FEL
MCELMO CREEK	L25	430371550800S1	Active	14-20-603-264	NW	NE	19	41S	25E	0660FNL	1980FEL
MCELMO CREEK	R17	430371597600S1	Active	14-20-603-359	NW	NW	9	41S	25E	0740FNL	0560FWL
MCELMO CREEK	R19	430371637300S1	Active	14-20-603-359	NW	SW	9	41S	25E	1980FSL	0660FWL
MCELMO CREEK	R21	430371637400S1	Active	14-20-603-359	NW	NW	16	41S	25E	0511FNL	0562FWL
MCELMO CREEK	T17	430371638000S1	Active	14-20-603-359	NW	NE	9	41S	25E	0675FNL	1933FEL
MCELMO CREEK	E21	430371634300S1	Active	14-20-603-370	NE	NE	14	41S	24E	0660FNL	0660FEL
MCELMO CREEK	E23	430371634400S1	Active	14-20-603-370	NE	SE	14	41S	24E	2031FSL	0711FEL
MCELMO CREEK	G21A	430373097400S1	Active	14-20-603-370	NE	NW	13	41S	24E	0867FNL	1883FWL
MCELMO CREEK	G23	430371634800S1	Shut-in	14-20-603-370	NE	SW	13	41S	24E	2092FSL	1899FWL
MCELMO CREEK	G25	430371634900S1	Active	14-20-603-370	NE	NW	24	41S	24E	0660FNL	1980FWL
MCELMO CREEK	I23	430371635200S1	Active	14-20-603-370	NE	SE	13	41S	24E	1980FSL	0660FEL
MCELMO CREEK	I25	430371635300S1	Active	14-20-603-370	NE	NE	24	41S	24E	0530FNL	0820FEL
MCELMO CREEK	J11	430371635400S1	TA'd	14-20-603-372	NW	SW	31	40S	25E	1980FSL	0660FWL
MCELMO CREEK	J13	430371635500S1	Active	14-20-603-372	NW	NW	6	41S	25E	0621FNL	0580FWL
MCELMO CREEK	J15	430371595400S1	Active	14-20-603-372	NW	SW	6	41S	25E	1980FSL	0500FWL
MCELMO CREEK	K12	430371595500S1	Active	14-20-603-372	SW	SW	31	40S	25E	0670FSL	1970FWL
MCELMO CREEK	K14	430371595600S1	Active	14-20-603-372	SE	NW	6	41S	25E	1851FNL	1885FWL
MCELMO CREEK	K16	430371595700S1	Active	14-20-603-372	SE	SW	6	41S	25E	0660FSL	1816FWL
MCELMO CREEK	L09	430371635900S1	Active	14-20-603-372	NW	NE	31	40S	25E	0660FNL	1980FEL
MCELMO CREEK	L13	430371595900S1	Active	14-20-603-372	NW	NE	6	41S	25E	0778FNL	1917FEL
MCELMO CREEK	L15	430371596000S1	Active	14-20-603-372	NW	SE	6	41S	25E	1820FSL	1830FEL
MCELMO CREEK	M10	430371596100S1	Shut-in	14-20-603-372	SE	NE	31	40S	25E	1980FNL	0530FEL
MCELMO CREEK	M12	430371596200S1	Active	14-20-603-372	SE	SE	31	40S	25E	0590FSL	0585FEL
MCELMO CREEK	M14	430371596300S1	Active	14-20-603-372	SE	NE	6	41S	25E	2089FNL	0773FEL
MCELMO CREEK	M16	430371636100S1	Active	14-20-603-372	SE	SE	6	41S	25E	0660FSL	0660FEL
MCELMO CREEK	N09	430371596400S1	Shut-in	14-20-603-372	NW	NW	32	40S	25E	0628FNL	0615FWL
MCELMO CREEK	N11	430371596500S1	Active	14-20-603-372	NW	SW	32	40S	25E	2069FSL	0618FWL
MCELMO CREEK	N13	430371596600S1	Active	14-20-603-372	NW	NW	5	41S	25E	0840FNL	0505FWL
MCELMO CREEK	N15	430371636300S1	Active	14-20-603-372	NW	SW	5	41S	25E	2140FSL	820FWL
MCELMO CREEK	O12	430371596800S1	Active	14-20-603-372	SE	SW	32	40S	25E	0809FSL	1832FWL
MCELMO CREEK	O14	430371636500S1	Active	14-20-603-372	SE	NW	5	41S	25E	2056FNL	1997FWL
MCELMO CREEK	O16	430371596900S1	Active	14-20-603-372	SE	SW	5	41S	25E	0660FSL	1980FWL
MCELMO CREEK	P09	430371636700S1	Active	14-20-603-372	NW	NE	32	40S	25E	0598FNL	2100FEL
MCELMO CREEK	P11	430371597101S2	Active	14-20-603-372	NW	SE	32	40S	25E	2105FSL	2006FEL
MCELMO CREEK	P13	430371636800S1	Active	14-20-603-372	NW	NE	5	41S	25E	0610FNL	1796FWL
MCELMO CREEK	P15	430371597200S1	Active	14-20-603-372	NW	SE	5	41S	25E	1980FSL	1980FEL
MCELMO CREEK	Q10	430371597301S1	Active	14-20-603-372	SE	NE	32	40S	25E	1899FNL	0532FEL
MCELMO CREEK	Q16	430371597500S1	TA'd	14-20-603-372	SE	SE	5	41S	25E	0660FSL	0660FEL
MCELMO CREEK	F13	430371634500S1	Active	14-20-603-4032	NW	NW	1	41S	24E	0795FNL	0535FWL
MCELMO CREEK	F15A	430373114900S1	Active	14-20-603-4032	NW	SW	1	41S	24E	1920FSL	0624FWL
MCELMO CREEK	G14	430371614300S1	Active	14-20-603-4032	SE	NW	1	41S	24E	1980FNL	1980FWL
MCELMO CREEK	G16	430371614400S1	Active	14-20-603-4032	SE	SW	1	41S	24E	0820FSL	1820FWL
MCELMO CREEK	H13	430371635100S1	Active	14-20-603-4032	NW	NE	1	41S	24E	0540FNL	2110FEL
MCELMO CREEK	I-14	430371614500S1	Active	14-20-603-4032	SE	NE	1	41S	24E	1980FNL	0660FEL

GREATER ANETH FIELD UIC WELL LIST
McElmo Creek lease, San Juan County, Utah

Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Surface Location							
					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot	
MCELMO CREEK	F17	430371549300S1	Active	14-20-603-4039	NW	NW	12	41S	24E	0740FNL	0500FWL	
MCELMO CREEK	G18	430371549400S1	Active	14-20-603-4039	SE	NW	12	41S	24E	1980FNL	1980FWL	
MCELMO CREEK	H15	430371549500S1	Active	14-20-603-4039	NW	SE	1	41S	24E	1980FSL	1980FEL	
MCELMO CREEK	H17	430371549600S1	Active	14-20-603-4039	NE	NW	12	41S	24E	0660FNL	1980FEL	
MCELMO CREEK	I18	430371570900S1	Active	14-20-603-4495	SE	NE	12	41S	24E	1840FNL	0555FEL	
MCELMO CREEK	E19	430371634200S1	Shut-in	14-20-603-5449	NE	SE	11	41S	24E	1980FSL	0660FEL	
MCELMO CREEK	G19	430371634600S1	Active	14-20-603-5450	NE	SW	12	41S	24E	1350FSL	1800FWL	
MCELMO CREEK	I20	430371571000S1	Active	14-20-603-5451	SE	SE	12	41S	24E	0990FSL	0500FEL	
MCELMO CREEK	N07	430371636200S1	Active	I-149-IND-8839	NE	SW	29	40S	25E	2083FSL	745FWL	
MCELMO CREEK	P07	430371636600S1	Active	I-149-IND-8839	NW	SE	29	40S	25E	1820FSL	2140FEL	
MCELMO CREEK	O10	430371596700S1	Active	NOG99041325	SE	NW	32	40S	25E	2086FNL	1944FWL	